
ESI 中精神病学与心理学领域热 点分析

2013 年 3 月 第 2 期 (总第 10 期)

中国科学院心理研究所图书馆主办

本期编者：王玮 陈晶

北京市朝阳区林萃路 16 号院

电话：010-64855884

出版日期：2013 年 5 月 31 日

邮编：100101

邮箱：library@psych.ac.cn

ESI 中精神病学与心理学领域热点分析

——基于 2013 年 3 月更新数据

ESI 热点论文指近两个月内被引次数高居前千分之一的近两年内发表的 SCI/SSCI 文章，本期入榜文章是针对 2010 年 10 月至 2012 年 10 月发表的文章在 2012 年 11 月和 12 月两个月内的被引情况计算得出的。本期 ESI (Essential Science Indicators) 发布精神病学/心理学领域的热点文章 67 篇，其中首次入榜文章 42 篇，入榜文章单篇最高被引 133 次，最低被引 3 次。

数据更新时间为 2013 年 3 月 1 日。

本期把首次入选文章、曾经入选但相对上期而言是新增文章以及本期和上期都入选的文章，分别用不同颜色标注，详细说明可见附表。

精神病学与心理学领域热点论文的主题分析

该领域热点论文可总结为 26 个主题（详细信息见附表，按主题总计被引次数排列）。

本期抑郁、焦虑和情感障碍主题的总计被引频次继续位居 ESI 本领域热点主题榜榜首。其中新入榜论文 8 篇：认知偏差矫正 (Cognitive bias modification) 影响焦虑和抑郁的元分析；二十碳五烯酸 (Eicosapentaenoic acid, EPA, 属于 Ω -3 系列多不饱和脂肪酸) 在临床试验中可有效治疗原发性抑郁 (Primary depression) 的元分析研究；由美国国立精神卫生研究所出资开展的双向情感障碍系统治疗增强计划 (Systematic Treatment Enhancement Program for Bipolar Disorder, STEP-BD) 参与者与临床共病性有关的疾病负担；女大学生焦虑水平与脑电活动监测 (Action monitoring brain potentials) 指标间的关系；重症抑郁患者血液中白介素-6 (IL-6)、肿瘤坏死因子- α (TNF- α) 及可溶性白介素-2 受体 (sIL-2R) 水平显著升高；经颅直流电刺激(Transcranial direct current stimulation, tDCS)治疗重症抑郁的元分析；孕妇使用选择性 5-羟色胺再摄取抑制剂 (Selective serotonin reuptake inhibitor, SSRI) 治疗抑郁可能导致胎儿头部生长缓慢同时早产风险增加；利用结构访谈考察循环型情感障碍 (Cyclothymic disturbances) 患者的临床症状。该主题下有 5 篇论文关于双向情感障碍，2 篇关于经颅直流电刺激治疗抑郁的效果。值得一提的是，5-羟色胺转运体基因启动子区变异调节应激与抑郁间关系的元分析研究，已经连续 8 个月稳居 ESI 本领域热点论文单篇被引

频次榜榜首。

包括精神分裂症在内的各类精神障碍也是研究的持续性热点。其中首次入榜论文有 4 篇, 分别关于: 精神分裂症患者认知受损的元分析; 幻觉 (Hallucinations)、消极自尊 (Negative self-esteem) 和信息收集 (Information gathering) 能力受损等可在不同程度上预测精神分裂症患者是否会发生妄想 (delusions) 及其类型; 精神疾病高危被试在执行言语流畅性测试 (Verbal fluency task) 时, 丘脑谷氨酸水平降低与皮层功能改变之间的相关程度; 精神疾病高危人群认知功能的元分析。

关于自闭症谱系障碍 (Autism spectrum disorder, ASD), 本期有 3 篇新入选论文, 分别是: 与未得自闭症的高危婴儿相比, 2 岁时被确诊罹患自闭症的婴儿在 6 个月时大脑白质纤维束发育业已出现差异; ASD 患者面对金钱奖赏和面孔预期时其奖赏环路活动异常; 利用 ERP 技术发现自闭症儿童面对奖赏 (社会或金钱) 线索时 P3 波活动降低。

本期有关超心理学 (Psi, Parapsychology) 的 3 篇文章连同超心理学这一主题首次进入我们的视野。最初 Bem 通过将实验顺序颠倒发现大脑可以探索未来, 随后引发对 Bem 开展的超心理学研究的评论—为什么心理学者必须改变分析实验数据的方法, 以及将 Bem 关于超心理学的实验证据作为案例, 讨论实证心理学 (Empirical psychology) 实践中的不足之处。

网络心理学已不是第一次进入热点论文榜, 不过本期该主题下的 4 篇文章均为新入榜, 均与网络欺凌行为有关, 分别是: 传统的欺负与网络欺凌 (Cyberbullying) 间的共生与因果关系研究; 利用计划行为理论 (Theory of planned behavior) 可否预测青少年网络欺凌行为的发生; Cybergrooming 作为网络侵犯的一种新形式, 其发生的危险因素、应对措施及其与网络欺凌的关系; 在意大利青少年中运用同伴领导模型 (Peer-led model) 对缓解传统欺负和网络欺凌的效果。

关于注意突出 (Attentional Salience Processing) 与非突出 (Salient unattended) 加工, 本期新入榜的两篇文章分别是: $\Delta 9$ 四氢大麻酚 ($\Delta 9$ -Tetrahydrocannabinol, $\Delta 9$ -THC) 和大麻二醇 (Cannabidiol, CBD) 在注意突出加工中对前额叶、纹状体和海马功能的差异性调节, 以及从神经元震荡角度解释对非注意突出刺激的优先加工。

关于心理统计和研究方法，本期首次出现在 ESI 热点论文榜的文章有 3 篇，分别是：心理学实验室研究的外部效度取决于学科类别、研究主题及效应值（Effect size）；通过分析不同影响力心理学期刊上文章报告的统计结果，发现约有 18% 的统计结果不正确；实验心理学中的发表偏倚（Publication bias）现象。

此外本期 ESI 热点论文榜新入选文章还有 14 篇，分别是：东西方文化与自我概念相互作用的理论模型；与乡村居民相比，城市居民在面临压力时杏仁核和扣带皮层活动增强；关于胎儿期应激与出生后应激通路功能失调之间关系及其与性别关系的综述；教育学（Pedagogy）是一把双刃剑，在提高学习效率的同时限制孩子自发性探索；教师对学生学业成绩判断准确性的元分析；进食成瘾患者在进食冲动（Food cravings）量表上除了对正强化的预期（Anticipation of positive reinforcement）一项以外，其余项目得分均较高，提示成瘾患者并不期待通过进食获得积极强化；经济活动和工作场所与环境可持续性之间的关系；集体主义领导（Collectivistic leadership）的方法、实践与未来发展方向；心理健康中自我痊愈（Personal recovery）概念框架的系统回顾与叙述性合成（Narrative synthesis）；HIV 感染者应用高效抗逆转录病毒疗法（Highly active antiretroviral therapy, HAART）的元分析；同性伴侣间积极关系动力（Relationship dynamics）可维护关系稳定进而降低感染 HIV 风险等 HIV 相关研究；对社会认知机制的回顾与总结；针对当前科学传播(Scientific Communication)的低效，提出六大举措；利用逻辑回归（Logistic regression）和受试者工作特征分析（Receiver operating characteristic, ROC）研究入室盗窃作案模式是否存在跨国关联。

文章单篇被引次数以及原文或摘要链接等详情请见附表。

附表：基于 ESI 2013 年 3 月更新的热点论文分析出的精神病学/心理学领域 26 个研究主题

注：红色为首次入榜文章或领域；绿色为之前入选过但是相对上期为新增文章；黑色在上期亦是热点文章。

综合后 的主题	文章详细信息				总被 引次 数
	文章主题	题目	出处及原文或摘要链接	单篇被引	
抑郁、焦 虑与情 感障碍	5-羟色胺转运体基因启动子区变 异 (5-HTTLPR) 调节应激与抑 郁之间关系的元分析	The serotonin transporter promoter variant (5-HTTLPR), stress, and depression meta-analysis revisited evidence of genetic moderation	ARCH GEN PSYCHIAT 68 (5): 444-454 MAY 2011 http://archpsyc.jamanetwork.com/data/Journals/PSYCH/5316/yma05002_444_454.pdf	133	409
	世界卫生组织-世界精神卫生调 查计划 (World Mental Health Survey Initiative) 发现，全世界 范围内双相谱系障碍 (Bipolar	Prevalence and correlates of bipolar spectrum disorder in the world mental health survey initiative	ARCH GEN PSYCHIAT 68 (3): 241-251 MAR 2011 http://archpsyc.jamanetwork.com/article.aspx?articleid=21119	65 2	

	spectrum disorder, BSD) 的严重程度、影响和共病模式都十分相似。不同诊断标准中的一致性证明其概念的有效性 (Validity)			
	青少年双向障碍患者严重情绪失调、易激惹及其诊断标准	Severe mood dysregulation, irritability, and the diagnostic boundaries of bipolar disorder in youths	AMER J PSYCHIAT 168 (2): 129-142 FEB 2011 http://ajp.psychiatryonline.org/ data/Journals/AJP/1829/appi.ajp. 2010.10050766.pdf	44
	重症抑郁患者同时伴有潜在但并未确诊的双向障碍症状的发病率与发病特征	Prevalence and characteristics of undiagnosed bipolar disorders in patients with a major depressive episode the bridge study	ARCH GEN PSYCHIAT 68 (8): 791-799 AUG 2011 http://www.frequence.com/ pdf/Prevalence_and_Characteristics_of_Undiagnosed_Bipolar_Disorders_in_Patients_With_a_Major_Depressive_Episode	35

			The_BRIDGE_Study.pdf		
	重症抑郁和双向障碍的脑结构 性变化：元分析	Structural neuroimaging studies in major depressive disorder meta-analysis and comparison with bipolar disorder	ARCH GEN PSYCHIAT 68 (7): 675-690 JUL 2011 http://archpsyc.jamanetwork.com/data/Journals/PSYCH/22574/yma05004_675_690.pdf	26	
	失眠 (Insomnia) 可预测抑郁： 基于纵向流行病学调查的综述 与元分析	Insomnia as a predictor of depression: a meta-analytic evaluation of longitudinal epidemiological studies	J AFFECT DISORDERS 135 (1-3): 10-19 DEC 2011 http://ac.els-cdn.com/S0165032711000292/1-s2.0-S0165032711000292-main.pdf?_tid=58c8b976-5af7-11e2-977a-00000aa_b0f02&acdnat=1357803096_370fa7f9e7cfe2b7759b43b763808ca8	24	
	认知偏差矫正 (Cognitive bias	A meta-analysis of the effect of cognitive bias modification on	PSYCHOL BULL 137 (6): 940-958 NOV 2011	18	

	modification)对焦虑和抑郁的作用 : 元分析	anxiety and depression	http://web.ebscohost.com/ehost/pdfviewer/pdfviewer?sid=3f305df8-e5b1-45ba-9de9-5789c9f376b1%40sessionmgr111&vid=4&hid=123	
	二十碳五烯酸 (Eicosapentaenoic acid , EPA , 属于 Ω -3 系列多不饱和脂肪酸) 在临床试验中可有效治疗原发性抑郁 (Primary depression) : 元分析	Meta-analysis of the effects of eicosapentaenoic acid (EPA) in clinical trials in depression	J CLIN PSYCHIAT 72 (12): 1577-1584 DEC 2011 http://www.tritolonen.fi/files/pdf/Sublette_2011.pdf	16
	经颅直流电刺激 (Transcranial direct current stimulation , tDCS) 可以治疗抑郁 : 一项为期 3 周的随机假对照研究	Transcranial direct current stimulation for depression: 3-week, randomised, sham-controlled trial	BRIT J PSYCHIAT 200 (1): 52-59 JAN 2012 http://bjp.rcpsych.org/content/200/1/52.full.pdf+html	14

	双向情感障碍系统治疗增强计划 (Systematic Treatment Enhancement Program for Bipolar Disorder , STEP-BD , 由美国国立精神卫生研究所出资开展) 参与者其与临床共病有关的疾病负担	Illness burden and medical comorbidity in the systematic treatment enhancement program for bipolar disorder	ACTA PSYCHIATRICA SCANDINAVICA 125 (4): 303-308 APR 2012 http://web.ebscohost.com/ehost/pdfviewer/pdfviewer?vid=3&sid=794181fd-ebc8-451b-a474-8b73b4a044f6%40sessionmgr11&hid=19	9	
	女大学生焦虑水平与脑电位活动监测 (Action monitoring brain potentials) 指标间的关系	Parsing relationships between dimensions of anxiety and action monitoring brain potentials in female undergraduates	PSYCHOPHYSIOLOGY 49 (1): 3-10 JAN 2012 http://web.ebscohost.com/ehost/pdfviewer/pdfviewer?vid=3&sid=f87fa44d-b665-4b2d-9d05-5f2ba4c3a49a%40sessionmgr113&hid=103	8	
	重症抑郁患者血液中白介素-6、	Interleukin (IL)-6, tumour necrosis	J AFFECT DISORDERS	6	

	肿瘤坏死因子-α及可溶性白介素-2受体水平显著升高	factor alpha (TNF-alpha) and soluble interleukin-2 receptors (sil-2r) are elevated in patients with major depressive disorder: a meta-analysis and meta-regression	139 (3): 230-239 AUG 2012 http://www.sciencedirect.com/science/article/pii/S0165032711004605	
	经颅直流电刺激治疗重症抑郁： 元分析	Transcranial direct current stimulation in the treatment of major depression: a meta-analysis	PSYCHOL MED 42 (9): 1791-1800 SEP 2012 http://journals.cambridge.org/download.php?file=%2F52683_8777254EF3FE140B953C91B_B0AA3273F_journals_PSM_PSM42_09_S0033291711003059a.pdf&cover=Y&code=869d36d9a206920108c095f29250a990	4
	孕妇使用选择性5-羟色胺再摄取抑制剂与胎儿生长的关系	Maternal use of selective serotonin reuptake inhibitors, fetal growth, and	ARCH GEN PSYCHIAT 69 (7): 706-714 JUL 2012	4

	取抑制剂 (Selective serotonin reuptake inhibitor , SSRI)治疗抑郁可能导致胎儿头部生长缓慢 同时早产风险增加	risk of adverse birth outcomes	http://archpsyc.jamanetwork.com/article.aspx?articleid=11510 <u>23</u>		
	利用结构访谈考察循环型情感障碍 (Cyclothymic disturbances) 患者的临床症状	Clinical configuration of cyclothymic disturbances	J AFFECT DISORDERS 139 (3): 244-249 AUG 2012 http://ac.els-cdn.com/S0165032712000390/1-s2.0-S0165032712000390-main.pdf?_tid=8d26418a-bc5d-11e2-9040-00000aaab0f02&acdnat=1368512256_de210fd4e19548402b0bf8e1065786be	3	
精神障碍及治	长期抗精神病药物治疗会对脑组织造成微小但是可测量到的	Long-term antipsychotic treatment and brain volumes a longitudinal study of first-episode	ARCH GEN PSYCHIAT 68 (2): 128-137 FEB 2011 http://www.mindfreedom.org/k	78	163

疗	损伤	schizophrenia	b/psychiatric-drugs/antipsychotics/neuroleptic-brain-damage/h0-andreasen-201102-brain-volume.pdf	
	大麻和酒精等精神活性物质的使用与精神疾病发作年龄间的关系：元分析	Cannabis use and earlier onset of psychosis	ARCH GEN PSYCHIAT 68 (6): 555-561 JUN 2011 http://archpsyc.jamanetwork.com/data/Journals/PSYCH/5318/yma05005_555_561.pdf	36
	利用数据库检索，对截止到 2011 年 1 月发表的精神病高危人群进展为临床发病的文章进行元分析	Predicting psychosis meta-analysis of transition outcomes in individuals at high clinical risk	ARCH GEN PSYCHIAT 69 (3): 220-229 MAR 2012 http://archpsyc.jamanetwork.com/article.aspx?articleid=1107408	26
	精神疾病高危被试在执行言语流畅性测试(Verbal fluency task)	Thalamic glutamate levels as a predictor of cortical response during executive functioning in subjects at	ARCH GEN PSYCHIAT 68 (9): 881-890 SEP 2011 http://archpsyc.jamanetwork.com	16

	时，丘脑谷氨酸水平降低与皮层功能改变之间的相关	high risk for psychosis	m/data/Journals/PSYCH/22577/yoa15016_881_890.pdf		
	精神疾病临床高危人群的认知功能：元分析	Cognitive functioning in prodromal psychosis a meta-analysis	ARCH GEN PSYCHIAT 69 (6): 562-571 JUN 2012 http://archpsyc.jamanetwork.com/article.aspx?articleid=11719 55	7	
研究方法	心理学研究中由数据收集和分析导致的假阳性(False-positive)现象，同时提出可避免该问题出现的一个简单方法	False-positive psychology: undisclosed flexibility in data collection and analysis allows presenting anything as significant	PSYCHOL SCI 22 (11): 1359-1366 NOV 2011 http://korea.ssrn.com/delivery.php?ID=933078022002120096005126099100004112015082062038033030120096095096069091097009093085034019003061029120125094110011083029068070021059074001067102	57	141

			<u>0650000311261220900900320</u> <u>3706700602002311011311911</u> <u>8025016&EXT=pdf</u>	
	因果调节分析 (Causal mediation analysis) 的一般方法	A general approach to causal mediation analysis	PSYCHOL METHODS 15 (4): 309-334 DEC 2010 http://www.personal.psu.edu/ljk20/mediationII.pdf	45
	基因与环境交互作用研究领域中，常用的备选基因 G×E (Candidate G×E , cG×E) 方法所做的研究存在发表偏向 (Publication bias),所有的 cG×E 正向结果都在犯统计 I 类错误	A critical review of the first 10 years of candidate gene-by-environment interaction research in psychiatry	AMER J PSYCHIAT 168 (10): 1041-1049 OCT 2011 http://ajp.psychiatryonline.org/article.aspx?articleid=178272	32

	心理学实验室研究的外部效度 取决于学科类别、研究主题及效 应值 (Effect size)	Revisiting truth or triviality: the external validity of research in the psychological laboratory	PERSPECT PSYCHOL SCI 7 (2): 109-117 MAR 2012 http://pps.sagepub.com/content /7/2/109.full.pdf	7	
精神分 裂症	通过分子遗传学研究，不仅确认 染色体 1q21.1 和 15q13.3 等 5 个 位点基因变异与精神分裂症存 在确定关系，还发现它们参与 精神发育迟滞、自闭症谱系障碍 及癫痫的发生	Copy number variants in schizophrenia: confirmation of five previous findings and new evidence for 3Q29 MICRODELETIONS AND VIPR2 DUPLICATIONS	AMER J PSYCHIAT 168 (3): 302-316 MAR 2011 http://ajp.psychiatryonline.org/ data/Journals/AJP/4043/appi.ajp. 2010.10060876.pdf	65	128
	精神分裂症认知矫正的元分析： 方法学与效果值 (Effect sizes)	A meta-analysis of cognitive remediation for schizophrenia: methodology and effect sizes	AMER J PSYCHIAT 168 (5): 472-485 MAY 2011 http://ajp.psychiatryonline.org/ data/Journals/AJP/3938/appi.ajp. 2010.10060855.pdf	50	

综述 : 精神分裂症患者的认知受损	Cognition in schizophrenia: core psychological and neural mechanisms	TRENDS COGN SCI 16 (1): 27-34 Sp. Iss. SI JAN 2012 http://ac.els-cdn.com/S1364661311002488/1-s2.0-S1364661311002488-main.pdf?_tid=4657681c-b6ed-11e2-8f9e-00000aaacb35f&acdnat=1367914277_7c32a1f22c7dcad92c6dfea6148a2763	10	
幻觉 (Hallucinations), 消极自尊 (Negative self-esteem) 和信息收集 (Information gathering) 能力受损等可在不同程度上预测	Predicting the occurrence, conviction, distress, and disruption of different delusional experiences in the daily life of people with schizophrenia	SCHIZOPHRENIA BULL 38 (4): 826-837 JUN 2012 http://schizophreniabulletin.oxfordjournals.org/content/38/4/826.full.pdf+html	3	

	精神分裂症患者是否会发生妄想 (delusions) 及其类型				
自闭症 谱系障 碍 (Autism spectrum disorders , ASDs)	遗传可能性和双胞胎共享环境 (Shared environment) 与自闭症 谱系障碍易感性之间的定量评估	Genetic heritability and shared environmental factors among twin pairs with autism	ARCH GEN PSYCHIAT 68 (11): 1095-1102 NOV 2011 http://archpsyc.jamanetwork.com/data/Journals/PSYCH/22580/yoa15046_1095_1102.pdf	56	126
	韩国开展一项研究筛查 ASD 流行情况 , 覆盖 55266 名 7-12 岁学龄儿童 , 结果显示韩国儿童自闭症患病率(Prevalence)为 2.64% , 其中三分之二出现在主流学校 学生中	Prevalence of autism spectrum disorders in a total population sample	AMER J PSYCHIAT 168 (9): 904-912 SEP 2011 http://ajp.psychiatryonline.org/data/Journals/AJP/4237/appi.ajp.2011.10101532.pdf	46	
	与未得自闭症的高危婴儿相比 ,	Differences in white matter fiber	AMER J PSYCHIAT 169	9	

	2岁被确诊罹患自闭症的婴儿在6个月时大脑白质纤维束发育已出现差异	tract development present from 6 to 24 months in infants with autism	(6): 589-600 JUN 2012 http://search.proquest.com/docview/1020530301/13DE7687D7B662E57C7/9?accountid=276 14		
	ASD患者面对金钱奖赏和面孔预期时，其奖赏环路活动异常	Reward circuitry function in autism during face anticipation and outcomes	J AUTISM DEV DISORD 42 (2): 147-160 FEB 2012 http://link.springer.com/content/pdf/10.1007%2Fs10803-011-1221-1.pdf	8	
	自闭症儿童面对奖赏（社会或金钱）线索时P3活动降低：一项ERP研究	Atypical brain responses to reward cues in autism as revealed by event-related potentials	J AUTISM DEV DISORD 41 (11): 1523-1533 NOV 2011 http://link.springer.com/content/pdf/10.1007%2Fs10803-011-1221-1.pdf	7	
开源软	Amazon's Mechanical Turk	Amazon's mechanical turk: a new	PERSPECT PSYCHOL SCI 6	101	

件	(www.MTurk.com)网站可以用作心理学和其它社会科学低成本而又快速地收集高质量数据的工具	source of inexpensive, yet high-quality, data?	(1): 3-5 JAN 2011 http://pps.sagepub.com/content/6/1/3.full.pdf		
N400	N400 作为一个与语义加工相关的脑电成分，本文综述了其发现过程、特征和不断扩展的应用领域等	Thirty years and counting: finding meaning in the n400 component of the event-related brain potential (ERP)	ANNU REV PSYCHOL 62: 621-647 2011 http://www.annualreviews.org/doi/pdf/10.1146/annurev.psych.093008.131123	91	
超心理学	为什么心理学家们必须改变分析实验数据的方法：对 Bem 开展的超心理学（Psi，Parapsychology）研究的评论	Why psychologists must change the way they analyze their data: the case of psi: comment on Bem (2011)	J PERSONAL SOC PSYCHOL 100 (3): 426-432 MAR 2011 http://web.ebscohost.com/ehost/pdfviewer/pdfviewer?vid=3&sid=9374b052-dddc-4571-8c42-	38	84

			5edbdcdc78cf%40sessionmgr1 1&hid=11		
	将实验顺序颠倒 ,Bem 的研究发现大脑可以探索未来	Feeling the future: experimental evidence for anomalous retroactive influences on cognition and affect	J PERSONAL SOC PSYCHOL 100 (3): 407-425 MAR 2011 http://dbem.ws/FeelingFuture.pdf	37	
	将 Bem's (2011) 关于超心理学 (Psi) 的实验证据作为案例 , 讨论实证心理学 (Empirical psychology) 实践中的不足	Fearing the future of empirical psychology: Bem's (2011) evidence of psi as a case study of deficiencies in modal research practice	REV GEN PSYCHOL 15 (4): 371-379 DEC 2011 http://publish.uwo.ca/~elebel/documents/l&p(2011,rgp,proofs.pdf	9	
情绪与	综述 : 内侧前额叶和前扣带回在	Emotional processing in anterior cingulate and medial prefrontal	TRENDS COGN SCI 15 (2): 85-93 FEB 2011	82	

情感	负性情绪加工中的作用	cortex	http://etkinlab.stanford.edu/Etkin%20Publications/Etkin,%20TICS%202011,%20emotional%20function%20of%20ACC%20and%20mPFC.pdf		
社会学习与情绪学习项目	社会学习与情绪学习(Social and emotional learning, SEL) 项目显著促进了与社会功能和情绪相关的技能、态度、行为和学业表现—元分析	The impact of enhancing students' social and emotional learning: a meta-analysis of school-based universal interventions	CHILD DEVELOP 82 (1): 405-432 JAN-FEB 2011 http://onlinelibrary.wiley.com/doi/10.1111/j.1467-8624.2010.01564.x/pdf	72	
压力应激	与乡村居民相比，城市居民在面临压力时杏仁核和扣带皮层活动增强，并且在城市中生活越久活动性越强	City living and urban upbringing affect neural social stress processing in humans	NATURE 474 (7352): 498-501 JUN 23 2011 http://sa.indiaenvironmentportal.org.in/files/City%20living.pdf	46	63

	综述 : 胎儿期应激与出生后应激通路功能失调之间关系及其与性别的关系	Sex differences in prenatal epigenetic programming of stress pathways	STRESS 14 (4): 348-356 JUL 2011 http://www.ncbi.nlm.nih.gov/pubmed/21663536	17	
发展与教育	综述 :有助于改善 4-12 岁儿童执行功能的措施	Interventions shown to aid executive function development in children 4 to 12 years old	SCIENCE 333 (6045): 959-964 AUG 19 2011 http://www.sciencemag.org/content/333/6045/959.full.pdf	45	63
	教育学 (Pedagogy) 是一把双刃剑 , 在提高学习效率的同时限制孩子自发性探索	The double-edged sword of pedagogy: instruction limits spontaneous exploration and discovery	COGNITION 120 (3): 322-330 Sp. Iss. SI SEP 2011 http://ac.els-cdn.com/S001002258/1-s2.0-S0010027710002258-main.pdf?_tid=e3477858-b6be-11e2-9cce-00000aa_b0f6c&acdnat=1367894354_d3ebf0f3cb538562554b0661a84	15	

			<u>27be7</u>		
	教师对学生学业成绩判断的准确性：元分析	Accuracy of teachers' judgments of students' academic achievement: a meta-analysis	J EDUC PSYCHOL 104 (3): 743-762 AUG 2012 http://web.ebscohost.com/ehost/pdfviewer/pdfviewer?vid=5&sid=35e2209b-776b-46e2-9b6ae9030a7ecd08%40sessionmgr1&hid=112	3	
催产素在社会心理学中的角色	综述：经过文献调研，研究人员发现催产素对社会认知和亲社会行为（Prosocial behavior）的影响并不稳定，进而提出其所起作用可能受限于环境和/或个体特征	Social effects of oxytocin in humans: context and person matter	TRENDS COGN SCI 15 (7): 301-309 JUL 2011 http://www.cell.com/trends/cognitive-sciences/abstract/S1364-6613(11)00083-0	53	
进食障	青少年进食障碍的患病率及相	Prevalence and correlates of eating	ARCH GEN PSYCHIAT 68	32	37

碍	关因素 : 来自全美青少年精神疾 病流行病学调查 (national comorbidity survey replication adolescent supplement , NCS-A) 的结果	disorders in adolescents results from the national comorbidity survey replication adolescent supplement	(7): 714-723 JUL 2011 http://psychiatry-training.wiki. otago.ac.nz/images/a/af/Swanson11.pdf		
	进食成瘾患者在进食冲动 (Food cravings) 量表上除了对正强化 的预期 (Anticipation of positive reinforcement) 一项以外 , 其余 项目得分均较高 , 提示成瘾患者 并不期待通过进食获得积极强 化	Food cravings in food addiction: the distinct role of positive reinforcement	EAT BEHAV 13 (3): 252-255 AUG 2012 http://www.sciencedirect.com/ science/article/pii/S1471015312000116	5	
网络心	传统的欺负与网络欺凌	Bullying and cyberbullying:	PSICOTHEMA 24 (4):	7	28

理学	(Cyberbullying) 间的共生与因果关系	overlapping and predictive value of the co-occurrence	608-613 NOV 2012 http://www.psicothema.com/pdf/4061.pdf	
	利用计划行为理论 (Theory of planned behavior) 预测青少年网络欺凌行为的发生	Predicting adolescent perpetration in cyberbullying: an application of the theory of planned behavior	PSICOTHEMA 24 (4): 614-620 NOV 2012 http://www.psicothema.com/pdf/4062.pdf	7
	Cybergrooming 作为网络侵犯的一种新形式，其发生的危险因素、如何应对及其与网络欺凌的关系	Cybergrooming: Risk Factors, Coping Strategies And Associations With Cyberbullying	PSICOTHEMA 24 (4): 628-633 NOV 2012 http://www.psicothema.com/pdf/4064.pdf	7
	在意大利青少年中运用同伴领导模型 (Peer-led model) 对缓解传统欺负和网络欺凌的效果	Online and offline peer led models against bullying and cyberbullying	PSICOTHEMA 24 (4): 634-639 NOV 2012 http://www.psicothema.com/pdf/4065.pdf	7

文化与 自我	东西方文化与自我概念相互作 用的理论模型	Cultures and selves: a cycle of mutual constitution	PERSPECT PSYCHOL SCI 5 (4): 420-430 JUL 2010 http://pps.sagepub.com/content/5/4/420.full.pdf	23	
注意突 出与非 注意突 出	Δ9 四氢大麻酚 (Δ 9-Tetrahydrocannabinol , Δ 9-THC) 和大麻二醇 (Cannabidiol , CBD) 在注意突 出过程 (Attentional Salience Processing) 中对前额叶、纹状体 和海马功能的调节是不同的	Induction of psychosis by delta 9-tetrahydrocannabinol reflects modulation of prefrontal and striatal function during attentional salience processing	ARCH GEN PSYCHIAT 69 (1): 27-36 JAN 2012 http://archpsyc.jamanetwork.com/data/Journals/PSYCH/22584/yoa110029_27_36.pdf	12	22
	从神经元震荡角度解释对非注 意显著刺激 (Salient unattended stimuli) 的优先加工	An oscillatory mechanism for prioritizing salient unattended stimuli	TRENDS COGN SCI 16 (4): 200-206 APR 2012 http://www.sciencedirect.com/science/article/pii/S1364661312	10	

			<u>000575</u>		
统计	分析不同影响力心理学期刊上文章报告的统计结果，显示约有18%的统计结果不正确	The (mis)reporting of statistical results in psychology journals	BEHAV RES METHODS 43 (3): 666-678 Sp. Iss. SI SEP 2011 http://wicherts.socsci.uva.nl/BakkerWicherts2011.pdf	12	22
	实验心理学中的发表偏倚(Publication bias)现象	Too good to be true: publication bias in two prominent studies from experimental psychology	PSYCHONOMIC BULL REV 19 (2): 151-156 APR 2012 http://link.springer.com/content/pdf/10.3758%2Fs13423-012-0227-9.pdf	10	
职业心理学	经济活动和工作场所与环境可持续性之间的关系	Environmental sustainability at work: a call to action	IND ORGAN PSYCHOL 5 (4): 444-466 DEC 2012 http://onlinelibrary.wiley.com/doi/10.1111/j.1754-9434.2012.01478.x/abstract	21	

	集体主义领导 (Collectivistic leadership) 的方法、实践与未来发展方向	Collectivistic leadership approaches: putting the "we" in leadership science and practice	IND ORGAN PSYCHOL 5 (4): 382-402 DEC 2012 http://onlinelibrary.wiley.com/doi/10.1111/j.1754-9434.2012.01467.x/abstract		
恐惧条件化	综述 : 近十年来恐惧条件化消退的神经环路研究 , 同时指出它可作为转化神经科学(Translational neuroscience , 也可译作转译神经科学) 的研究模型	Fear extinction as a model for translational neuroscience: ten years of progress	ANNU REV PSYCHOL 63: 129-151 2012 http://www.annualreviews.org/doi/pdf/10.1146/annurev.psych.121208.131631	17	
正念冥想	正念冥想 (Mindfulness meditation) 发挥作用的四个因素 (注意力调节、对身体的觉察、情绪调节和改变对自我的认知)	How does mindfulness meditation work? proposing mechanisms of action from a conceptual and neural perspective	PERSPECT PSYCHOL SCI 6 (6): 537-559 NOV 2011 http://pps.sagepub.com/content/6/6/537.full.pdf+html	17	

	及其可促进神经环路可塑性改变				
自我痊愈	心理健康中自我痊愈 (Personal recovery) 的概念框架：系统回顾与叙述性合成 (Narrative synthesis)	Conceptual framework for personal recovery in mental health: systematic review and narrative synthesis	BRIT J PSYCHIAT 199 (6): 445-452 DEC 2011 http://bjp.rcpsych.org/content/199/6/445.full.pdf+html	16	
HIV 相关	HIV 感染者应用高效抗逆转录病毒疗法 (Highly active antiretroviral therapy , HAART) : 元分析	Adherence to highly active antiretroviral therapy (HAART): a meta-analysis	AIDS BEHAV 15 (7): 1381-1396 OCT 2011 http://link.springer.com/content/pdf/10.1007%2Fs10461-011-942-x.pdf	11	14
	同性伴侣间积极关系动力 (Relationship dynamics) 可维护关系稳定进而降低感染 HIV 风	Relationship dynamics as predictors of broken agreements about outside sexual partners: implications for HIV prevention among gay couples	AIDS BEHAV 16 (6): 1584-1588 AUG 2012 http://link.springer.com/content/pdf/10.1007%2Fs10461-011-0	3	

	险		074-0.pdf		
社会认知	社会认知中一些机制	Mechanisms of social cognition	ANNU REV PSYCHOL 63: 287-313 2012 http://www.annualreviews.org/ doi/pdf/10.1146/annurev-psych-120710-100449	12	
科学传播	针对当前科学传播(Scientific Communication)的低效，提出六 大举措	Scientific utopia: I. opening scientific communication	PSYCHOL INQ 23 (3): 217-243 2012 http://www.tandfonline.com/doi/ pdf/10.1080/1047840X.2012. 692215	5	
犯罪心理	利用逻辑回归 (Logistic regression)和受试者工作特征分 析 (Receiver operating characteristic , ROC) 研究入室	The linking of burglary crimes using offender behaviour: testing research cross-nationally and exploring methodology	LEGAL CRIMINOL PSYCHOL 17 (2): 276-293 SEP 2012 http://onlinelibrary.wiley.com/di oi/10.1111/j.2044-8333.2010.02007.x/abstract	3	

	盗窃作案模式是否存在跨国关联				
--	----------------	--	--	--	--

中科院心理所图书馆